

QUANTITIES SUBJECT TO CHANGE - CONTACT LDPI FOR AVAILABILITY
Explosion Proof CID1

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 1.16.2026
	LEXS	CID1, CID2, Paint/Spray Listed	LEXS-L1-V1-4-V110-D	40W / 3520Lm	4000K	14
			LEXS-L1-V1-4-V110-C	40W / 4480Lm	4000K	1
	LEXSG2-L1-V1-4-V110-D-PB		30W/3540Lm	4000k	12	
	LEXSG2-L2-V1-5-V110-D-PB		40W/4540Lm	5000k	12	
	LEXSG2-L2-V1-4-V110-D-PB		40W/4540Lm	4000K	22	
	LEXSG2-L3-V1-4-V110-D-PB		60W/7710Lm	4000k	50	
	LEXSG2-L3-V1-5-V110-D-PB		60W/7110Lm	5000k	24	
	LEXSG2-L3-V1-5-V110-C-PB		60W/8870Lm	5000k	24	
	LEXSG2-L4-V1-5-V110-D-PB		80W/ 8690Lm	5000K	39	
	LEXSG2-L4-V1-5-V110-C-PB		80W/ 11200Lm	5000K	10	
	LEXSG2-L4-V1-4-V110-D-PB		80W / 8690Lm	4000K	24	
	LEXSG2-L4-V1-4-V110-c-PB		80W /11200Lm	4000K	12	
	Accessories		PC01 Pole Mount Pipe Clamp 316 S.S. 1 7/8"			10
			PC02 Pole Mount Pipe Clamp 316 S.S. 2 3/8"			22
LEXSG2 Next Generation Explosion Proof						

Explosion Proof CID1

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 1.16.2026
	LEXF1	Explosion Proof CID1 / CID2 CIID2 / CIII, Paint/Spray Listed	LEXF1-L1-V1-5-T5-C	21W / 4220Lm	5000K	10
			LEXF1-L2-V1-5-T5-D	40W / 5200Lm	5000K	12
			LEXF1-L2-V1-5-T5-C	40W / 6500Lm	5000K	17
			LEXF1-L4-V1-5-T2-C	60W / 7600Lm	5000K	20
			LEXF1-L4-V1-5-T5-D	60W / 7130Lm	5000K	20
			LEXF1-L4-V1-5-T5-C	60W / 8510Lm	5000K	34
	Accessories		PB02-BK Yoke Mount			12

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 1.16.2026
	LEXF	Explosion Proof CID1 / CID2 CIID2 / CIII, Paint/Spray Listed	LEXF-L1-V1-3-V120-C	80W / 9720Lm	3000K	2
			LEXF-L2-V1-4-V120-C	100W / 11760Lm	4000K	8
	LEXFG2 Next Generation Explosion Proof		LEXFG2-L1-V1-5-V120-1-C-PB	80W/ 12320Lm	5000K	27
			LEXFG2-L1-V1-4-V120-1-C-PB	80W/ 12320Lm	4000K	2
			LEXFG2-L2-V1-4-V120-1-C-PB	100W/14160Lm	4000k	24
			LEXFG2-L3-V1-5-V120-1-C-PB	120W /17680Lm	5000K	17
			LEXFG2-L4-V1-5-V120-1-C-PB	150W / 21230Lm	5000K	35
			Accessories	SN01-BK slip fitter		
	SN01 slip fitter					40
	WG01 Wire Guard					83
	PH01 Pendant Hook Mount					16

NEW CID2 Jelly Jars

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 1.16.2026
	LEHC	CID2, IP66	LEHC-L2-V1-4-V120-GSF-MW	20w/ 2000Lm	4000K	50
			LEHC-L2-V1-4-V120-GSF-MP	20w/ 2000Lm	4000K	25
			LEHC-L2-V1-4-V120-GSF-MC	20w/ 2000Lm	4000K	25
			LEHC-L2-V1-4-V120-GSF-MR	20w/ 2000Lm	4000K	24

NEW CID2 Occupancy Sensor

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 1.16.2026
	LXC-OOC-D2	CID2 IP66 Programmable Occupancy Sensor	LCX-OOC-D2			36

HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 1.16.2026
	LEHL1G2 Next Generation Hazardous Location	Hazardous CID2, CIID1&2, CIII	LEHL1G2-L3-V1-5-V120-C-PG	45W / 6750Lm	5000K	3
			LEHL1G2-L3-V1-4-V120-DL-PG	45W / 6060Lm	4000K	9
			LEHL1G2-L4-V1-5-V120-C-PG	45W / 6060Lm	5000K	22
			LEHL1G2-L4-V1-4-V120-C-PG	55W/8790Lm	4000K	12
			LEHL1G2-L6-V1-5-V120-C-PG	65W / 10760Lm	5000K	1
			LEHL1G2-L6-V1-4-V120-C-PG	65W / 10760Lm	4000K	18
		Accessories	WL90-M Wall-90°			25
			SN2503 Stanchion-25° / 1-1/2			35
			SN2504 Stanchion-25° / 1-1/2			19
			SN9003 Stanchion - 90° 1 - 1/4			27
			SN9004 Stanchion-90° / 1-1/2			8
			UB01 U Bracket			58
			SN01 Slipfitter mount bracket			40
			WG02 SS Wire guard-flat lens			8
			WG06 SS Wire guard-diffused drop lens			8
			PH01 Pendant Hook Mount			16
			PC01 Pole Mount Pipe Clamp 316 S.S. 1 7/8"			10
			PC02 Pole Mount Pipe Clamp 316 S.S. 2 3/8"			22



HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 1.16.2026
	LEHL2	Hazardous CID2 CIID1&2 CIII	LEHL2-L1-V1-5-T5-C-P	80W / 12630Lm	5000K	30
			LEHL2-L1-V1-4-T5-D-P	80W / 8830Lm	4000K	12
			LEHL2-L1-V1-5-T5-DP-P	80W / 8830Lm	5000K	4
			LEHL2-L1-V1-5-T5-DL-P	80W / 12290Lm	5000K	12
			LEHL2-L2-V1-5-T5-C-P	120W / 19230Lm	5000K	49
			LEHL2-L2-V1-5-T5-DP-P	120W / 13250Lm	5000K	10
			LEHL2-L3-V1-5-T5-C-P	150W / 23630Lm	5000K	19
			LEHL2-L3-V1-5-T5-DL-P	150W / 20950Lm	5000K	10
			LEHL2-L4-V1-5-T5-C-P	200W / 28940Lm	5000K	21
			LEHL2-L4-V1-5-T5-DL-P	200W / 27795Lm	5000K	16
			LEHL2-L4-V1-4-T5-C-P	200W / 28940Lm	4000K	14
		Accessories	SN9003 Stanchion-90° / 1-1/4			27
			SN9004 Stanchion-90° / 1-1/2			8
			SN2503 Stanchion - 25° 1 - 1/4			35
			SN2504 Stanchion-25° / 1-1/2			19
			WG07 SS Wire guard-flat lens			54
			WG08 SS Wire guard-globe lens			9
			SN01 Slipfitter mount bracket			40
			WL90-M Wall-90°			25
			PB03 U Bracket 304 Stainless Steel			22


HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII

 	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 1.16.2026
	LEHS	Hazardous, CID2 CIID1&2 CIII	LEHS-L1-V1-3-V110-D	40W/6180Lm	3000K	9
		Accessories	HK04 Eyebolt Hanging Kit			17
	LEHSG2 Next Generation Hazardous	Hazardous CID2, CIID1 & CIID2	LEHSG2-L2-V1-5-V110-C-PG	40W / 5790Lm	5000K	12
			LEHSG2-L2-V1-4-V110-D-PG	40W / 4860Lm	4000K	11
			LEHSG2-L3-V1-5-V110-C-PG	60W / 9180Lm	5000K	7
			LEHSG2-L3-V1-4-V110-D-PG	60W / 7760Lm	4000K	12
			LEHSG2-L4-V1-4-V110-D-PG	80W / 10130Lm	4000K	10
			LEHSG2-L4-V1-5-V110-C-PG	80W / 12030Lm	5000K	12
			LEHSG2-L4-V1-5-V110-D-PG	80W / 10780Lm	5000K	7

ORDINARY LOCATION LED BOOTH FIXTURES

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 1.16.2026
	LE180	Ordinary Location	LE180-L2-V1-5-D	75W /9220Lm	5000K	12

RECESS MOUNT C1D2 LED PAINT AND POWDER BOOTH FIXTURES

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 1.16.2026
	LE484	Hazardous CID2 / CIID2 Paint/Spray listed	LE484-L1-V1-5-D	75W /8270 Lm	5000K	572
			LE484-L1-V1-5-T	75W /9070 Lm	5000K	12
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 1.16.2026
	LE485E (inside access)	Hazardous CID2 / CIID2 Paint/Spray listed	LE485E-62-W1-V1-A-5-WH-H	62W/6330	5000K	23
			LE485E-62-W2-V1-A-5-WH-H	62W/6330	5000K	62

FLUORESCENT PAINT AND POWDER BOOTH FIXTURES

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 1.16.2026
	229H	Ordinary	229H-T8-4L-120-277	32W / T8		59
			229H-T8-4L-120-277-NW	32W / T8		59
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 1.16.2026
	SLIM LIGHT (Inside Access)	Hazardous CID2 / CIID2 Paint/Spray listed	390440-3546	32W / T8		118
	400 Series (Rear Access)		390231-3546	17W / T8		12
			390441-3546	32W / T8		5
	380 Series	Explosion Proof CID1& DII / CIID1&2 Paint/Spray listed	380-T5HO-2L-4-UNV-EM-HB	54w/T5HO		1
			380-T8-4L-4-UNV	32w/T8		4



Lens Film Paint Booth Light Protection									
 				Part Number	Dimensions	On Hand 1.16.2026			
				3263	12"x100'	15			
				3188	18"x100'	22			
				4348	25"x100'	2			
				3312 Dispensor handle for 12 or 18" roll only		currently out of stock			
*Quick ship items ship approximately 24-48 hours after receipt of an order									
**Standard Payment and Freight Terms apply for all									