

QUANTITIES SUBJECT TO CHANGE - CONTACT LDPI FOR AVAILABILITY
Explosion Proof CID1

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 5.16.2025
	LEXS	Explosion Proof CI,D1 / CI,D2 Paint Spray Listed	LEXS-L1-V1-5-V110-D	40W / 3800Lm	5,000K	3
			LEXS-L1-V1-4-V110-D	40W / 3520Lm	4,000K	30
			LEXS-L1-V1-4-V110-C	40W / 4480Lm	4,000K	19
		Accessories	PC01 Pole Mount Pipe Clamp 316 S.S. 1 7/8"			10
			PC02 Pole Mount Pipe Clamp 316 S.S. 2 3/8"			22
			LEXSG2-L4-V1-5-V110-D-PB	80W / 8690Lm	5000K	10
	LEXSG2 Next Generation Explosion Proof		LEXSG2-L4-V1-5-V110-C-PB	80W / 11200Lm	5000K	12
		CI,D1, CI,D2 Paint Spray Listed	LEXSG2-L4-V1-4-V110-D-PB	80W / 8690Lm	4000K	84
			LEXSG2-L4-V1-4-V110-c-PB	80W / 11200Lm	4000K	12

Explosion Proof CID1

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 5.16.2025
	LEXF1	Explosion Proof CI,D1 / CI,D2 CII,D2 / CIII, Paint/Spray Listed	LEXF1-L1-V1-5-T5-C	21W / 4220Lm	5,000K	11
			LEXF1-L2-V1-5-T5-D	40W / 5200Lm	5,000K	6
			LEXF1-L2-V1-5-T5-C	40W / 6500Lm	5,000K	12
			LEXF1-L4-V1-5-T2-C	60W / 7600Lm	5,000K	20
			LEXF1-L4-V1-5-T5-D	60W / 7130Lm	5,000K	22
			LEXF1-L4-V1-5-T5-C	60W / 8510Lm	5,000K	27
		Accessories	PB02-BK Yoke Mount			51
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 5.16.2025
	LEXF	Explosion Proof CI,D1 / CI,D2 CII,D2 / CIII	LEXF-L1-V1-3-V120-C	80W / 9720Lm	3,000K	2
			LEXF-L2-V1-4-V120-C	100W / 11760Lm	4,000K	13
		Accessories	SN01-BK slip fitter			9
			SN01 slip fitter			13
			WG01 Wire Guard			7
	LEXFG2 Next Generation Explosion Proof	CI,D1, CI,D2 Paint Spray Listed	LEXFG2-L1-V1-4-V120-C-PB	80W / 8690Lm	4000K	13
			LEXFG2-L1-V1-5-V120-C-PB	80W / 8690Lm	5000K	5
			LEXFG2-L3-V1-5-V120-C-PB	120W / 8690Lm	5000K	18




	LEXFG2 Next Generation Explosion Proof	CI,D1, CI,D2 Paint Spray Listed	LEXFG2-L4-V1-5-V120-C-PB	150W / 21,230Lm	5000K	14
		Accessories	SN01-BK slip fitter			9
			SN01 slip fitter			13
			WG01 Wire Guard			7
			PH01 Pendant Hook Mount			16
HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 5.16.2025
	LEHL1	Hazardous CI,D2 CII,D1&2	LEHL1-L1-V1-4-V110-C-U	45W / 6375Lm	4,000K	6
			LEHL1-L2-V1-5-V110-D-P	65W / 8650Lm	5,000K	1
			SN9002 Stanchion-90° / 1-1/2			1
		Accessories	SN2501 Stanchion - 25° 1 - 1/4			3
			WG03 SS Wire guard-globe lens			2
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 5.16.2025
	LEHL1G2 Next Generation Hazardous Location	Hazardous CI,D2, CII,D1&2, CIII	LEHL1G2-L3-V1-5-V120-C-PG	45W / 6750Lm	5,000K	39
			LEHL1G2-L3-V1-4-V120-DL-PG	45W / 6060Lm	4,000K	10
			LEHL1G2-L6-V1-5-V120-C-PG	65W / 10760Lm	5,000K	41
		Accessories	WL90-M Wall-90°			24
			WL25-M Wall-25°			Currently out of stock
			SN2503 Stanchion-25° / 1-1/2			92
			SN2504 Stanchion-25° / 1-1/2			17
			SN9003 Stanchion - 90° 1 - 1/4			29
			SN9004 Stanchion-90° / 1-1/2			13
			UB01 U Bracket			17
			SN01 Slipfitter mount bracket			13
			WG02 SS Wire guard-flat lens			Currently out of stock
			WG06 SS Wire guard-diffused drop lens			8
			PH01 Pendant Hook Mount			16
			PC01 Pole Mount Pipe Clamp 316 S.S. 1 7/8"			10
			PC02 Pole Mount Pipe Clamp 316 S.S. 2 3/8"			22



HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 5.16.2025
	LEHL2	Hazardous CI,D2 CII,D1&2 CIII	LEHL2-L1-V1-5-T5-C-P	80W / 12630Lm	5,000K	36
			LEHL2-L1-V1-5-T5-DP-P	80W / 8830Lm	5,000K	4
			LEHL2-L1-V1-5-T5-DL-P	80W / 12290Lm	5,000K	12
			LEHL2-L2-V1-5-T5-C-P	120W / 19230Lm	5,000K	9
			LEHL2-L2-V1-5-T5-DP-P	120W / 13250Lm	5,000K	10
			LEHL2-L3-V1-5-T5-C-P	150W / 23630Lm	5,000K	11
			LEHL2-L3-V1-5-T5-DL-P	150W / 20950Lm	5,000K	10
			LEHL2-L4-V1-5-T5-C-P	200W / 28940Lm	5,000k	18
			LEHL2-L4-V1-5-T5-DL-P	200W / 27795Lm	5,000k	17
			LEHL2-L4-V1-4-T5-C-P	200W / 28940Lm	4,000k	18
		Accessories	SN9003 Stanchion-90° / 1-1/4			29
			SN9004 Stanchion-90° / 1-1/2			13
			SN2503 Stanchion - 25° 1 - 1/4			92
			SN2504 Stanchion-25° / 1-1/2			17
			WG07 SS Wire guard-flat lens			25
			WG08 SS Wire guard-globe lens			9
			SN01 Slipfitter mount bracket			13
			WL90-M Wall-90°			24
			PB03 U Bracket 304 Stainless Steel			32

HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 5.16.2025
	LEHS	Hazardous CI,D2 CII,D1&2 CIII	LEHS-L1-V1-3-V110-D	40W/6180Lm	3,000k	9
			LEHS-L2-V1-5-V110-C-EM	80W / 11490Lm	5,000K	2
	LEHSG2 Next Generation Hazardous	Hazardous CID2, CIID1 & CIID2	Accessories	HK04 Eyebolt Hanging Kit		35
			LEHSG2-L2-V1-5-V110-C-PG	40W / 5790Lm	5000K	7
			LEHSG2-L2-V1-4-V110-D-PG	40W / 4860Lm	4000K	12
			LEHSG2-L3-V1-5-V110-C-PG	60W / 9,180Lm	5000K	11
			LEHSG2-L4-V1-4-V110-D-PG	80W / 10,130Lm	4000K	12
			LEHSG2-L4-V1-5-V110-C-PG	80W / 12,030Lm	5000K	14
			LEHSG2-L4-V1-5-V110-D-PG	80W / 10,780Lm	5000K	3



ORDINARY LOCATION LED BOOTH FIXTURES

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 5.16.2025
	LE180	Ordinary Location	LE180-L2-V1-5-D	75W /9220Lm	5,000K	6

RECESS MOUNT C1D2 LED PAINT AND POWDER BOOTH FIXTURES

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 5.16.2025
	LE484	Hazardous CI,D2 / CII,D2 Paint Booth listed	LE484-L1-V1-5-D	75W /8270 Lm	5,000K	53
			LE484-L1-V1-5-T	75W /9070 Lm	5,000K	3
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 5.16.2025
	LE485E (inside access)	Hazardous CI,D2 / CII,D2 Paint Booth listed	LE485E-62-W1-V1-A-5-WH-H	62W/6330	5,000K	35
			LE485E-62-W2-V1-A-5-WH-H	62W/6330	5,000K	6

FLUORESCENT PAINT AND POWDER BOOTH FIXTURES

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 5.16.2025
	229H	Ordinary	229H-T8-4L-120-277	32W / T8		30
			229H-T8-4L-120-277-NW	32W / T8		33
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 5.16.2025
	SLIM LIGHT (Inside Access)	Hazardous CI,D2 / CII,D2 Paint Booth listed	390440-3546	32W / T8		189
	400 Series (Rear Access)		390231-3546	17W / T8		12
			390441-3546	32W / T8		16
	380 Series	Explosion Proof CI D1& DII / CII D1&2 Paint Booth listed	380-T5HO-2L-4-UNV-EM-HB	54w/T5HO		1
			380-T8-4L-4-UNV	32w/T8		4



Lens Film Paint Booth Light Protection						
 				Part Number		On Hand 5.16.2025
				Dimensions		
				3263	12"x100'	15
				3188	18"x100'	21
				4348	25"x100'	2
3312 Dispensor handle for 12 or 18" roll only					2	
*Quick ship items ship approximately 24-48 hours after receipt of an order						
**Standard Payment and Freight Terms apply for all						